

Description


The Datatek single section wall mount cabinet does the job for offices and retail environments that require a secure, heavy-duty wall-mounted storage option for standard 19" rack-mount servers and networking equipment.

Removable side panels and the reversible, reinforced tempered glass front door offer access for easy servicing. The security locks safeguard your network equipment.

The sturdy welded frame is made of heavy-duty Cold Rolled Steel with a durable, professional Black Powder Coated finish. It's the network cabinet with the right design and construction to bring security and reliability to data center and office builds that require wall-mounting.

How to Order

| Part Number | Description |
|-----------------|--|
| 24B4RW63 | 4U 300mm deep single section rack |
| 24B6RW63 | 6U 300mm deep single section rack |
| 24B6RW64 | 6U 450mm deep single section rack |
| 24B9RW64 | 9U 450mm deep single section rack |



| | | | |
|-----------------------------|---------------------|--------------------------|--------------------|
| Rack Height (U Spaces) | 4U | Features | |
| Product Dimensions (HxWxD) | 600 x 300 x 4U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | | |
| Static Loading Capacity | 40kg | | |
| Shipping Dimensions (HxWxD) | 650 x 350 x 320mm | Included Hardware | |
| Shipping Weight (KGS) | 10 | 12 | M6 cage nut screws |
| Meas. | 0.07CBM | 2 | Keys |
| Color | Black | 4 | Mounting Bolts |

Available from:

| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |

Description


The Datatek single section wall mount cabinet does the job for offices and retail environments that require a secure, heavy-duty wall-mounted storage option for standard 19" rack-mount servers and networking equipment.

Removable side panels and the reversible, reinforced tempered glass front door offer access for easy servicing. The security locks safeguard your network equipment.

The sturdy welded frame is made of heavy-duty Cold Rolled Steel with a durable, professional Black Powder Coated finish. It's the network cabinet with the right design and construction to bring security and reliability to data center and office builds that require wall-mounting.

How to Order

| Part Number | Description |
|-----------------|--|
| 24B4RW63 | 4U 300mm deep single section rack |
| 24B6RW63 | 6U 300mm deep single section rack |
| 24B6RW64 | 6U 450mm deep single section rack |
| 24B9RW64 | 9U 450mm deep single section rack |



| | | | |
|-----------------------------|---------------------|--------------------------|--------------------|
| Rack Height (U Spaces) | 6U | Features | |
| Product Dimensions (HxWxD) | 600 x 300 x 6U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | | |
| Static Loading Capacity | 40kg | | |
| Shipping Dimensions (HxWxD) | 650 x 350 x 410mm | Included Hardware | |
| Shipping Weight (KGS) | 12 | 12 | M6 cage nut screws |
| Meas. | 0.09CBM | 2 | Keys |
| Color | Black | 4 | Mounting Bolts |

Available from:

National

Phone:

1300 601 915

Email:

orders@bitek.com.au

Bitek Pty Ltd

11 Sheppard Street

Hume

ACT 2620

Ph: 02 6260 1874

Bitek (Syd) Pty Ltd

Unit 7, 463 Victoria St

Wetherill Park

NSW 2164

Ph: 9659 2272

Bitek (Vic) Pty Ltd

7/1 Culverlands St

West Heidelberg

VIC 3081

Ph: 03 9456 9222

Bitek (SA) Pty Ltd

1 Temple Court

Ottoway

SA 5013

Ph: 08 8395 4111

Description


The Datatek single section wall mount cabinet does the job for offices and retail environments that require a secure, heavy-duty wall-mounted storage option for standard 19" rack-mount servers and networking equipment.

Removable side panels and the reversible, reinforced tempered glass front door offer access for easy servicing. The security locks safeguard your network equipment.

The sturdy welded frame is made of heavy-duty Cold Rolled Steel with a durable, professional Black Powder Coated finish. It's the network cabinet with the right design and construction to bring security and reliability to data center and office builds that require wall-mounting.

How to Order

| Part Number | Description |
|-----------------|--|
| 24B4RW63 | 4U 300mm deep single section rack |
| 24B6RW63 | 6U 300mm deep single section rack |
| 24B6RW64 | 6U 450mm deep single section rack |
| 24B9RW64 | 9U 450mm deep single section rack |



| | | | |
|-----------------------------|---------------------|--------------------------|--------------------|
| Rack Height (U Spaces) | 6U | Features | |
| Product Dimensions (HxWxD) | 600 x 450 x 6U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | | |
| Static Loading Capacity | 40kg | | |
| Shipping Dimensions (HxWxD) | 650 x 500 x 410mm | Included Hardware | |
| Shipping Weight (KGS) | 13.5 | 12 | M6 cage nut screws |
| Meas. | 0.13CBM | 2 | Keys |
| Color | Black | 4 | Mounting Bolts |

Available from:

| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |

Description


The Datatek single section wall mount cabinet does the job for offices and retail environments that require a secure, heavy-duty wall-mounted storage option for standard 19" rack-mount servers and networking equipment.

Removable side panels and the reversible, reinforced tempered glass front door offer access for easy servicing. The security locks safeguard your network equipment.

The sturdy welded frame is made of heavy-duty Cold Rolled Steel with a durable, professional Black Powder Coated finish. It's the network cabinet with the right design and construction to bring security and reliability to data center and office builds that require wall-mounting.

How to Order

| Part Number | Description |
|-----------------|--|
| 24B4RW63 | 4U 300mm deep single section rack |
| 24B6RW63 | 6U 300mm deep single section rack |
| 24B6RW64 | 6U 450mm deep single section rack |
| 24B9RW64 | 9U 450mm deep single section rack |



| | | | |
|-----------------------------|---------------------|--------------------------|--------------------|
| Rack Height (U Spaces) | 9U | Features | |
| Product Dimensions (HxWxD) | 600 x 450 x 9U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | | |
| Static Loading Capacity | 40kg | | |
| Shipping Dimensions (HxWxD) | 650 x 500 x 545mm | Included Hardware | |
| Shipping Weight (KGS) | 17 | 12 | M6 cage nut screws |
| Meas. | 0.18CBM | 2 | Keys |
| Color | Black | 4 | Mounting Bolts |

Available from:

| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |

Description


The Datatek single section wall mount cabinet does the job for offices and retail environments that require a secure, heavy-duty wall-mounted storage option for standard 19" rack-mount servers and networking equipment.

Removable side panels and the reversible, reinforced tempered glass front door offer access for easy servicing. The security locks safeguard your network equipment.

The sturdy welded frame is made of heavy-duty Cold Rolled Steel with a durable, professional Black Powder Coated finish. It's the network cabinet with the right design and construction to bring security and reliability to data center and office builds that require wall-mounting.

How to Order

| Part Number | Description |
|--------------------|--|
| 24B6RW64FPS | 6U 450mm deep single section rack, including accessories. |
| 24B9RW64FPS | 9U 450mm deep single section rack, including accessories. |
| 24B12RW64FPS | 12U 450mm deep single section rack, including accessories. |
| 24B15RW64FPS | 15U 450mm deep single section rack, including accessories. |
| 24B158RW64FPS | 18U 450mm deep single section rack, including accessories. |



| Rack Height (U Spaces) | 6U | Features | |
|-----------------------------|---------------------|-------------------|--------------------|
| Product Dimensions (HxWxD) | 600 x 450 x 6U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | Included Hardware | |
| Static Loading Capacity | 40kg | 12 | M6 cage nut screws |
| Shipping Dimensions (HxWxD) | 650 x 500 x 410mm | 2 | Keys |
| Shipping Weight (KGS) | 17 | 4 | Mounting Bolts |
| Meas. | 0.13CBM | 1 | Cooling Fans |
| Color | Black | 1 | Fixed Shelf |
| | | 1 | PDU |

Available from:

| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |

Description


The Datatek single section wall mount cabinet does the job for offices and retail environments that require a secure, heavy-duty wall-mounted storage option for standard 19" rack-mount servers and networking equipment.

Removable side panels and the reversible, reinforced tempered glass front door offer access for easy servicing. The security locks safeguard your network equipment.

The sturdy welded frame is made of heavy-duty Cold Rolled Steel with a durable, professional Black Powder Coated finish. It's the network cabinet with the right design and construction to bring security and reliability to data center and office builds that require wall-mounting.

How to Order

| Part Number | Description |
|--------------------|--|
| 24B6RW64FPS | 6U 450mm deep single section rack, including accessories. |
| 24B9RW64FPS | 9U 450mm deep single section rack, including accessories. |
| 24B12RW64FPS | 12U 450mm deep single section rack, including accessories. |
| 24B15RW64FPS | 15U 450mm deep single section rack, including accessories. |
| 24B158RW64FPS | 18U 450mm deep single section rack, including accessories. |



| Rack Height (U Spaces) | 9U | Features | |
|-----------------------------|---------------------|-------------------|--------------------|
| Product Dimensions (HxWxD) | 600 x 450 x 9U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | Included Hardware | |
| Static Loading Capacity | 40kg | 12 | M6 cage nut screws |
| Shipping Dimensions (HxWxD) | 650 x 500 x 545mm | 2 | Keys |
| Shipping Weight (KGS) | 20.5 | 4 | Mounting Bolts |
| Meas. | 0.18CBM | 1 | Cooling Fans |
| Color | Black | 1 | Fixed Shelf |
| | | 1 | PDU |

Available from:

| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |

Description


The Datatek single section wall mount cabinet does the job for offices and retail environments that require a secure, heavy-duty wall-mounted storage option for standard 19" rack-mount servers and networking equipment.

Removable side panels and the reversible, reinforced tempered glass front door offer access for easy servicing. The security locks safeguard your network equipment.

The sturdy welded frame is made of heavy-duty Cold Rolled Steel with a durable, professional Black Powder Coated finish. It's the network cabinet with the right design and construction to bring security and reliability to data center and office builds that require wall-mounting.

How to Order

| Part Number | Description |
|---------------------|---|
| 24B6RW64FPS | 6U 450mm deep single section rack, including accessories. |
| 24B9RW64FPS | 9U 450mm deep single section rack, including accessories. |
| 24B12RW64FPS | 12U 450mm deep single section rack, including accessories. |
| 24B15RW64FPS | 15U 450mm deep single section rack, including accessories. |
| 24B158RW64FPS | 18U 450mm deep single section rack, including accessories. |



| Rack Height (U Spaces) | 12U | Features | |
|-----------------------------|---------------------|-------------------|--------------------|
| Product Dimensions (HxWxD) | 600 x 450 x 1200 | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | Included Hardware | |
| Static Loading Capacity | 40kg | 12 | M6 cage nut screws |
| Shipping Dimensions (HxWxD) | 650 x 500 x 680mm | 2 | Keys |
| Shipping Weight (KGS) | 24 | 4 | Mounting Bolts |
| Meas. | 0.22CBM | 1 | Cooling Fans |
| Color | Black | 1 | Fixed Shelf |
| | | 1 | PDU |

Available from:

| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |

Description


The Datatek single section wall mount cabinet does the job for offices and retail environments that require a secure, heavy-duty wall-mounted storage option for standard 19" rack-mount servers and networking equipment.

Removable side panels and the reversible, reinforced tempered glass front door offer access for easy servicing. The security locks safeguard your network equipment.

The sturdy welded frame is made of heavy-duty Cold Rolled Steel with a durable, professional Black Powder Coated finish. It's the network cabinet with the right design and construction to bring security and reliability to data center and office builds that require wall-mounting.

How to Order

| Part Number | Description |
|---------------------|---|
| 24B6RW64FPS | 6U 450mm deep single section rack, including accessories. |
| 24B9RW64FPS | 9U 450mm deep single section rack, including accessories. |
| 24B12RW64FPS | 12U 450mm deep single section rack, including accessories. |
| 24B15RW64FPS | 15U 450mm deep single section rack, including accessories. |
| 24B158RW64FPS | 18U 450mm deep single section rack, including accessories. |



| Rack Height (U Spaces) | 15U | Features | |
|-----------------------------|---------------------|-------------------|--------------------|
| Product Dimensions (HxWxD) | 600 x 450 x 1500 | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | Included Hardware | |
| Static Loading Capacity | 40kg | 12 | M6 cage nut screws |
| Shipping Dimensions (HxWxD) | 650 x 500 x 810mm | 2 | Keys |
| Shipping Weight (KGS) | 27.5 | 4 | Mounting Bolts |
| Meas. | 0.26CBM | 1 | Cooling Fans |
| Color | Black | 1 | Fixed Shelf |
| | | 1 | PDU |

Available from:

| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |

Description


The Datatek single section wall mount cabinet does the job for offices and retail environments that require a secure, heavy-duty wall-mounted storage option for standard 19" rack-mount servers and networking equipment.

Removable side panels and the reversible, reinforced tempered glass front door offer access for easy servicing. The security locks safeguard your network equipment.

The sturdy welded frame is made of heavy-duty Cold Rolled Steel with a durable, professional Black Powder Coated finish. It's the network cabinet with the right design and construction to bring security and reliability to data center and office builds that require wall-mounting.

How to Order

| Part Number | Description |
|---------------------|---|
| 24B6RW64FPS | 6U 450mm deep single section rack, including accessories. |
| 24B9RW64FPS | 9U 450mm deep single section rack, including accessories. |
| 24B12RW64FPS | 12U 450mm deep single section rack, including accessories. |
| 24B15RW64FPS | 15U 450mm deep single section rack, including accessories. |
| 24B18RW64FPS | 18U 450mm deep single section rack, including accessories. |



| | | | |
|-----------------------------|---------------------|--------------------------|--------------------|
| Rack Height (U Spaces) | 18U | Features | |
| Product Dimensions (HxWxD) | 600 x 450 x 18U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | Included Hardware | |
| Static Loading Capacity | 40kg | 12 | M6 cage nut screws |
| Shipping Dimensions (HxWxD) | 650 x 500 x 945mm | 2 | Keys |
| Shipping Weight (KGS) | 30.5 | 4 | Mounting Bolts |
| Meas. | 0.31CBM | 1 | Cooling Fans |
| Color | Black | 1 | Fixed Shelf |
| | | 1 | PDU |

Available from:

National

Phone:

1300 601 915

Email:

orders@bitek.com.au

Bitek Pty Ltd

11 Sheppard Street

Hume

ACT 2620

Ph: 02 6260 1874

Bitek (Syd) Pty Ltd

Unit 7, 463 Victoria St

Wetherill Park

NSW 2164

Ph: 9659 2272

Bitek (Vic) Pty Ltd

7/1 Culverlands St

West Heidelberg

VIC 3081

Ph: 03 9456 9222

Bitek (SA) Pty Ltd

1 Temple Court

Ottoway

SA 5013


Ph: 08 8395 4111

Description

This 600mm depth cabinet by Datatek is part of the Swing Gate Series and can be wall-mounted or self standing and is great for organizing your networking equipment. The cabinet has removable, locking side panels for easy access, hinged swing frame enclosure with Reversible Drop Hinge allowing easy access to equipment and cabling. Made of high-quality SPCC Cold Rolled Steel. Cabinet comes assembled. Datatek Swing Gate Series of cabinets is designed to house EIA standard 19 inch equipment in offices, network closets, retail locations and classrooms. This series is the best solution for IT professionals who require a secure solution and have a need to have frequent access to their equipment. Available in 6U, 9U, 12U & 18U, these cabinets come pre-assembled and feature door and side panel locks and a replaceable cable management cover.

How to Order

| Part Number | Description |
|---------------------|--|
| 24B6RWS66FPS | 6U 600mm deep double section rack, including accessories. |
| 24B9RWS66FPS | 9U 600mm deep double section rack, including accessories. |
| 24B12RWS66FPS | 12U 600mm deep double section rack, including accessories. |
| 24B18RWS66FPS | 18U 600mm deep double section rack, including accessories. |



| | | | |
|-----------------------------|---------------------|--------------------------|--------------------|
| Rack Height (U Spaces) | 6U | Features | |
| Product Dimensions (HxWxD) | 600 x 600 x 6U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | Included Hardware | |
| Static Loading Capacity | 60kg | 12 | M6 cage nut screws |
| Shipping Dimensions (HxWxD) | 650 x 650 x 430mm | 2 | Keys |
| Shipping Weight (KGS) | 28.4 | 4 | Mounting Bolts |
| Meas. | 0.18CBM | 1 | Cooling Fans |
| Color | Black | 1 | Fixed Shelf |
| | | 1 | PDU |

Available from:


| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |

Description

This 600mm depth cabinet by Datatek is part of the Swing Gate Series and can be wall-mounted or self standing and is great for organizing your networking equipment. The cabinet has removable, locking side panels for easy access, hinged swing frame enclosure with Reversible Drop Hinge allowing easy access to equipment and cabling. Made of high-quality SPCC Cold Rolled Steel. Cabinet comes assembled. Datatek Swing Gate Series of cabinets is designed to house EIA standard 19 inch equipment in offices, network closets, retail locations and classrooms. This series is the best solution for IT professionals who require a secure solution and have a need to have frequent access to their equipment. Available in 6U, 9U, 12U & 18U, these cabinets come pre-assembled and feature door and side panel locks and a replaceable cable management cover.

How to Order

| Part Number | Description |
|---------------------|--|
| 24B6RWS66FPS | 6U 600mm deep double section rack, including accessories. |
| 24B9RWS66FPS | 9U 600mm deep double section rack, including accessories. |
| 24B12RWS66FPS | 12U 600mm deep double section rack, including accessories. |
| 24B18RWS66FPS | 18U 600mm deep double section rack, including accessories. |



| | | | |
|-----------------------------|---------------------|--------------------------|--------------------|
| Rack Height (U Spaces) | 9U | Features | |
| Product Dimensions (HxWxD) | 600 x 600 x 9U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | Included Hardware | |
| Static Loading Capacity | 60kg | 12 | M6 cage nut screws |
| Shipping Dimensions (HxWxD) | 650 x 650 x 565mm | 2 | Keys |
| Shipping Weight (KGS) | 31.5 | 4 | Mounting Bolts |
| Meas. | 0.24CBM | 1 | Cooling Fans |
| Color | Black | 1 | Fixed Shelf |
| | | 1 | PDU |

Available from:


| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |

Description

This 600mm depth cabinet by Datatek is part of the Swing Gate Series and can be wall-mounted or self standing and is great for organizing your networking equipment. The cabinet has removable, locking side panels for easy access, hinged swing frame enclosure with Reversible Drop Hinge allowing easy access to equipment and cabling. Made of high-quality SPCC Cold Rolled Steel. Cabinet comes assembled. Datatek Swing Gate Series of cabinets is designed to house EIA standard 19 inch equipment in offices, network closets, retail locations and classrooms. This series is the best solution for IT professionals who require a secure solution and have a need to have frequent access to their equipment. Available in 6U, 9U, 12U & 18U, these cabinets come pre-assembled and feature door and side panel locks and a replaceable cable management cover.

How to Order

| Part Number | Description |
|----------------------|---|
| 24B6RWS66FPS | 6U 600mm deep double section rack, including accessories. |
| 24B9RWS66FPS | 9U 600mm deep double section rack, including accessories. |
| 24B12RWS66FPS | 12U 600mm deep double section rack, including accessories. |
| 24B18RWS66FPS | 18U 600mm deep double section rack, including accessories. |



| Rack Height (U Spaces) | 12U | Features | |
|-----------------------------|---------------------|-------------------|--------------------|
| Product Dimensions (HxWxD) | 600 x 600 x 12U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | Included Hardware | |
| Static Loading Capacity | 60kg | 12 | M6 cage nut screws |
| Shipping Dimensions (HxWxD) | 650 x 650 x 700mm | 2 | Keys |
| Shipping Weight (KGS) | 35 | 4 | Mounting Bolts |
| Meas. | 0.30CBM | 1 | Cooling Fans |
| Color | Black | 1 | Fixed Shelf |
| | | 1 | PDU |

Available from:


| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |

Description

This 600mm depth cabinet by Datatek is part of the Swing Gate Series and can be wall-mounted or self standing and is great for organizing your networking equipment. The cabinet has removable, locking side panels for easy access, hinged swing frame enclosure with Reversible Drop Hinge allowing easy access to equipment and cabling. Made of high-quality SPCC Cold Rolled Steel. Cabinet comes assembled. Datatek Swing Gate Series of cabinets is designed to house EIA standard 19 inch equipment in offices, network closets, retail locations and classrooms. This series is the best solution for IT professionals who require a secure solution and have a need to have frequent access to their equipment. Available in 6U, 9U, 12U & 18U, these cabinets come pre-assembled and feature door and side panel locks and a replaceable cable management cover.

How to Order

| Part Number | Description |
|----------------------|---|
| 24B6RWS66FPS | 6U 600mm deep double section rack, including accessories. |
| 24B9RWS66FPS | 9U 600mm deep double section rack, including accessories. |
| 24B12RWS66FPS | 12U 600mm deep double section rack, including accessories. |
| 24B18RWS66FPS | 18U 600mm deep double section rack, including accessories. |



| Rack Height (U Spaces) | 18U | Features | |
|-----------------------------|---------------------|-------------------|--------------------|
| Product Dimensions (HxWxD) | 600 x 600 x 18U | Packing method: | Assembled packing |
| Material | Cold Rolled Steel | Rack Hole Type: | M6 holes |
| Door type | Tempered Glass Door | Included Hardware | |
| Static Loading Capacity | 60kg | 12 | M6 cage nut screws |
| Shipping Dimensions (HxWxD) | 650 x 650 x 965mm | 2 | Keys |
| Shipping Weight (KGS) | 44 | 4 | Mounting Bolts |
| Meas. | 0.41CBM | 1 | Cooling Fans |
| Color | Black | 1 | Fixed Shelf |
| | | 1 | PDU |

Available from:

| | | | | |
|----------------------------|--------------------|-------------------------|---------------------|--------------------|
| National | Bitek Pty Ltd | Bitek (Syd) Pty Ltd | Bitek (Vic) Pty Ltd | Bitek (SA) Pty Ltd |
| Phone: | 11 Sheppard Street | Unit 7, 463 Victoria St | 7/1 Culverlands St | 1 Temple Court |
| 1300 601 915 | Hume | Wetherill Park | West Heidelberg | Ottoway |
| Email: | ACT 2620 | NSW 2164 | VIC 3081 | SA 5013 |
| orders@bitek.com.au | Ph: 02 6260 1874 | Ph: 9659 2272 | Ph: 03 9456 9222 | Ph: 08 8395 4111 |